



Safer Suicide Care in 2022: A Conversation on Navigating Challenges

November 18, 2021

Michael Schoenbaum, Ph.D.



National Institute
of Mental Health

Disclaimers

- No conflicts of interests to disclose
- My comments may not necessarily reflect the views of NIMH/NIH
- Other affiliations:
 - University of Washington AIMS Center (<https://aims.uw.edu/faculty-staff>)
 - Mental Health Association of Maryland (<https://www.mhamd.org/about-us/>)
 - PALTOWN Development Foundation (<https://paltown.org/board/>)

Resources

- ICAR²E Tool for Managing Suicidal Patients in the Emergency Department: <https://www.acep.org/patient-care/iCar2e/>
- Recommended standard suicide care: <https://theactionalliance.org/healthcare/standard-care>
- Best practices in suicide care transitions: <https://theactionalliance.org/healthcare/caretransitions>
- (Cost-)effectiveness of interventions to treat emergency department patients with suicide risk: <https://pubmed.ncbi.nlm.nih.gov/28945181/> & <https://pubmed.ncbi.nlm.nih.gov/28456130/>
- Effectiveness of initiating buprenorphine in the emergency department: <https://pubmed.ncbi.nlm.nih.gov/25919527/> & <https://pubmed.ncbi.nlm.nih.gov/28945181/>
- Mortality after suicide- or overdose-related ED visits: <https://pubmed.ncbi.nlm.nih.gov/31834399/> & <https://pubmed.ncbi.nlm.nih.gov/32389530/>

Michael Schoenbaum
michael.schoenbaum@nih.gov
301-435-8760

